

**ELO PARTS AVAILABLE WITH SHORT LEAD-TIME:**

**ELO LCD DISPLAYS MONITORS / POS TERMINAL with TOUCH SCREEN**

<b>D82064-000</b>	ELO TOUCH SOLUTIONS Elo Stylus
<b>E000444</b>	ELO TOUCH SOLUTIONS Elo 4243L 106.7 cm (42") LCD Digital Signage Display - Touchscreen - 1920 x 1080 - LED - 500 cd/m <sup>2</sup> - USB - HDMI - DVI - Black
<b>E001003</b>	ELO TOUCH SOLUTIONS Elo Head Only Display - Black - Green VFD Display - 2 Line x 20 Column - USB - Powered USB
<b>E009763</b>	ELO TOUCH SOLUTIONS Elo Warranty/Support - 2 Year Extended Warranty - Warranty - Technical
<b>E016808</b>	ELO TOUCH SOLUTIONS Elo 1723L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 30 ms - 431.80 mm Class - IntelliTouch Pro Projected CapacitiveMulti-touch Scree
<b>E017030</b>	ELO TOUCH SOLUTIONS Elo 1717L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 5 ms - 431.80 mm Class - Surface Acoustic Wave - 1280 x 1024 - SXGA - 16.7 Million
<b>E047663</b>	ELO TOUCH SOLUTIONS Elo Pole Mount for Touchscreen Monitor
<b>E048069</b>	ELO TOUCH SOLUTIONS Elo Display Stand - Up to 55.9 cm (22") Screen Support - 152.4 cm Height - Floor Stand
<b>E077464</b>	ELO TOUCH SOLUTIONS Elo 1717L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 5 ms - 431.80 mm Class - IntelliTouch Surface Wave - 1280 x 1024 - SXGA - 16.7
<b>E107766</b>	ELO TOUCH SOLUTIONS Elo 2201L 54.6 cm (21.5") LCD Touchscreen Monitor - 16:9 - 5 ms - 558.80 mm Class - Surface Acoustic WaveMulti-touch Screen - 1920 x 1080
<b>E122426</b>	ELO TOUCH SOLUTIONS Elo E122426 Pole Display - VFD Display - 2 Line x 20 Column
<b>E125496</b>	ELO TOUCH SOLUTIONS Elo 1502L 39.6 cm (15.6") LCD Touchscreen Monitor - 16:9 - 25 ms - 406.40 mm Class - Projected CapacitiveMulti-touch Screen - 1920 x 1080 - Full
<b>E125695</b>	Elo Touch Solutions 1902L. Display diagonal: 48.3 cm (19"), Display brightness: 225 cd/m <sup>2</sup> , HD type: HD. Product colour: Black, International Protection (IP) code: IPX1
<b>E125897</b>	ELO TOUCH SOLUTIONS Elo 2002L 49.5 cm (19.5") LCD Touchscreen Monitor - 16:9 - 20 ms - 508 mm Class - Projected CapacitiveMulti-touch Screen - 1920 x 1080 - Full
<b>E126096</b>	ELO TOUCH SOLUTIONS Elo 2202L 54.6 cm (21.5") LCD Touchscreen Monitor - 16:9 - 25 ms - 558.80 mm Class - TouchPro Projected CapacitiveMulti-touch Screen - 1920 x
<b>E126288</b>	ELO TOUCH SOLUTIONS Elo 2402L 60.5 cm (23.8") LCD Touchscreen Monitor - 16:9 - 15 ms - 609.60 mm Class - TouchPro Projected CapacitiveMulti-touch Screen - 1920 x
<b>E126483</b>	ELO TOUCH SOLUTIONS Elo 2702L 68.6 cm (27") LCD Touchscreen Monitor - 16:9 - 14 ms - 685.80 mm Class - TouchPro Projected CapacitiveMulti-touch Screen - 1920 x
<b>E131294</b>	ELO TOUCH SOLUTIONS SVC-WAR-ADP-OS360-AIO-5YR ALL-IN-1 5YR WARR COV+ADP+OS 360
<b>E132811</b>	ELO TOUCH SOLUTIONS ALL IN ONE 5YR WARRANTY COVERAGE + AUR + ADP + OS 360

<b>E134286</b>	ELO TOUCH SOLUTIONS KIT FPR USB TCET EDGE CONNECT ELO FINGERPRINT SCANNER
<b>E135925</b>	ELO TOUCH SOLUTIONS ESY15E2-2UWE-0-MT-4G-1S-NO-00 BK
<b>E144246</b>	ELO TOUCH SOLUTIONS Elo 1517L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 16 ms - 381 mm Class - 5-wire Resistive - 1024 x 768 - XGA-2 - Thin Film
<b>E144246</b>	ELO TOUCH SOLUTIONS Elo 1517L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 16 ms - 381 mm Class - 5-wire Resistive - 1024 x 768 - XGA-2 - Thin Film
<b>E146641</b>	ELO TOUCH SOLUTIONS Elo 2494L 60.5 cm (23.8") Open-frame LCD Touchscreen Monitor - 16:9 - 16 ms - 609.60 mm Class - TouchPro Projected CapacitiveMulti-
<b>E155834</b>	ELO TOUCH SOLUTIONS Elo 1002L 25.7 cm (10.1") LCD Touchscreen Monitor - 16:10 - 29 ms - 254 mm Class - TouchPro Projected Capacitive - 10 Point(s) Multi-touch
<b>E160104</b>	ELO TOUCH SOLUTIONS Elo Display Stand - Up to 25.4 cm (10") Screen Support - Tabletop
<b>E163604</b>	ELO TOUCH SOLUTIONS Elo E163604 Rack Conversion Kit for Flat Panel Display
<b>E179069</b>	ELO TOUCH SOLUTIONS Elo 1717L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 30 ms - 431.80 mm Class - Surface Acoustic Wave - 1280 x 1024 - SXGA - Adjustable
<b>E180092</b>	ELO TOUCH SOLUTIONS EXTERNAL POWER BRICK AND CABLE LVL5-UK12V 4.16A 50W-R
<b>E201494</b>	ELO TOUCH SOLUTIONS Elo Edge Connect Webcam - 8 Megapixel - Black - USB 2.0 - 1920 x 1080 Video - Auto-focus - Microphone - POS System, Monitor, Digital Signag
<b>E206556</b>	ELO TOUCH SOLUTIONS Elo 256 GB Solid State Drive - M.2 Internal - SATA
<b>E215435</b>	ELO TOUCH SOLUTIONS Elo 6553L 163.8 cm (64.5") LCD Digital Signage Display - Touchscreen - 3840 x 2160 - LED - 430 cd/m <sup>2</sup> - 2160p - USB - HDMI - Serial - Ethernet - Black
<b>E215638</b>	ELO TOUCH SOLUTIONS Elo 6553L 163.8 cm (64.5") LCD Digital Signage Display - Touchscreen - 3840 x 2160 - LED - 450 cd/m <sup>2</sup> - 2160p - USB - HDMI - Serial - Ethernet - Black
<b>E218847</b>	ELO TOUCH SOLUTIONS Elo 5502L 138.7 cm (54.6") LCD Digital Signage Display - Touchscreen - 1920 x 1080 - LED - 1080p - USB - HDMI - Grey
<b>E220574</b>	ELO TOUCH SOLUTIONS 4343L 43IN LCD OPFRAME FULL HD BACKLIGHT VGA HDMI PCAP USB CGR
<b>E222373</b>	ELO TOUCH SOLUTIONS Elo 4602L 116.8 cm (46") LCD Digital Signage Display - Touchscreen - 1920 x 1080 - LED - 500 cd/m <sup>2</sup> - 1080p - USB - HDMI Ethernet - Black
<b>E227895</b>	ELO TOUCH SOLUTIONS IDS 3 SERIES I5 HD 630 NO O/S 8GB/256GB SSD IN
<b>E228087</b>	ELO TOUCH SOLUTIONS Elo ECMG4 Single Board Computer for LCD Display - Black - Intel - Core i5 - i5-7500T - 8 GB - DDR4 SDRAM - 256 GB Solid State Drive - Intel
<b>E245047</b>	ELO TOUCH SOLUTIONS ELO EDGE CONNECT 2D BARCODE SCANNER (4107)
<b>E262258</b>	ELO TOUCH SOLUTIONS Elo EloPOS i3 POS Terminal - Intel Core i3 3.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD

<b>E264186</b>	ELO TOUCH SOLUTIONS Elo RAM Module for POS Terminal - 4 GB - DDR4-2666/PC4-21333 DDR4 SDRAM - 2666 MHz - 260-pin - SoDIMM
<b>E266835</b>	ELO TOUCH SOLUTIONS Elo 1915L 48.3 cm (19") LCD Touchscreen Monitor - 4:3 - 8 ms - 482.60 mm Class - Surface Acoustic Wave - 1280 x 1024 - SXGA - 16.2 Million
<b>E268447</b>	ELO TOUCH SOLUTIONS Elo 5551L 138.7 cm (54.6") LCD Digital Signage Display - Touchscreen - 3840 x 2160 - LED - 450 cd/m <sup>2</sup> - 2160p - USB - HDMI - Serial - Ethernet - Blac
<b>E273226</b>	ELO TOUCH SOLUTIONS Elo 1502L 39.6 cm (15.6") LCD Touchscreen Monitor - 16:9 - 25 ms - 406.40 mm Class - Projected Capacitive - 10 Point(s) Multi-touch Screen
<b>E304029</b>	ELO TOUCH SOLUTIONS Elo 3243L 81.3 cm (32") LCD Open-frame Digital Signage Display - Touchscreen - 1920 x 1080 - LED - 425 cd/m <sup>2</sup> - 1080p - USB - HDMI - Black
<b>E318746</b>	ELO TOUCH SOLUTIONS 1502L 15.6IN WLCD DSKTP HD MVGA HDMI PC MTCH USB WR 0-BZL AG BLK
<b>E321195</b>	ELO TOUCH SOLUTIONS Elo 1093L 25.7 cm (10.1") Open-frame LCD Touchscreen Monitor - 16:10 - 25 ms - 254 mm Class - TouchPro Projected Capacitive - 10
<b>E324341</b>	ELO TOUCH SOLUTIONS 1002L 10.1IN 1280X800 NON-TOUCH ANTI-GLARE USB-C HDMI VGA BLK
<b>E326154</b>	ELO TOUCH SOLUTIONS Elo 1590L 38.1 cm (15") Open-frame LCD Touchscreen Monitor - 4:3 - 16 ms - 381 mm Class - 5-wire Resistive - 1024 x 768 - XGA - 16.2 Million
<b>E326202</b>	ELO TOUCH SOLUTIONS Elo 3243L 81.3 cm (32") Open-frame LCD Touchscreen Monitor - 16:9 - 8 ms - 812.80 mm Class - IntelliTouch Plus - 1920 x 1080 - Full HD - 16.7
<b>E326347</b>	ELO TOUCH SOLUTIONS Elo 1790L 43.2 cm (17") Open-frame LCD Touchscreen Monitor - 5:4 - 5 ms - 431.80 mm Class - 5-wire Resistive - 1280 x 1024 - SXGA - 16.7 Million
<b>E326541</b>	ELO TOUCH SOLUTIONS Elo 1991L 48.3 cm (19") Open-frame LCD Touchscreen Monitor - 5:4 - 14 ms - 482.60 mm Class - 5-wire Resistive - 1280 x 1024 - SXGA - 16.7
<b>E326738</b>	ELO TOUCH SOLUTIONS Elo 1590L 38.1 cm (15") Open-frame LCD Touchscreen Monitor - 4:3 - 16 ms - 381 mm Class - IntelliTouch Surface Wave - 1024 x 768 - XGA - Thin
<b>E326942</b>	ELO TOUCH SOLUTIONS Elo 1790L 43.2 cm (17") Open-frame LCD Touchscreen Monitor - 5:4 - 5 ms - 431.80 mm Class - IntelliTouch Surface Wave - 1280 x 1024 - SXGA
<b>E327528</b>	ELO TOUCH SOLUTIONS Elo 2294L 54.6 cm (21.5") Open-frame LCD Touchscreen Monitor - 16:9 - 14 ms - IntelliTouch Surface Wave Multi-touch Screen - 1920 x 1080
<b>E327914</b>	ELO TOUCH SOLUTIONS Elo 2294L 54.6 cm (21.5") Open-frame LCD Touchscreen Monitor - 16:9 - 14 ms - 558.80 mm Class - IntelliTouch Surface Wave - 1920 x
<b>E328497</b>	ELO TOUCH SOLUTIONS Elo 1990L 48.3 cm (19") Open-frame LCD Touchscreen Monitor - 5:4 - 5 ms - 482.60 mm Class - IntelliTouch Surface Wave - 1280 x 1024 - SXGA -
<b>E328700</b>	ELO TOUCH SOLUTIONS Elo 1991L 48.3 cm (19") Open-frame LCD Touchscreen Monitor - 5:4 - 14 ms - 482.60 mm Class - IntelliTouch Surface Wave - 1280 x 1024
<b>E328883</b>	ELO TOUCH SOLUTIONS Elo 2094L 49.5 cm (19.5") Open-frame LCD Touchscreen Monitor - 16:9 - 20 ms - 508 mm Class - IntelliTouch Surface Wave - 1920 x 1080 - Full

<b>E329077</b>	ELO TOUCH SOLUTIONS Elo 2794L 68.6 cm (27") Open-frame LCD Touchscreen Monitor - 16:9 - 12 ms - 685.80 mm Class - IntelliTouch Surface WaveMulti-touch Screen
<b>E329262</b>	ELO TOUCH SOLUTIONS Elo 2794L 68.6 cm (27") Open-frame LCD Touchscreen Monitor - 16:9 - 12 ms - 685.80 mm Class - IntelliTouch Surface Wave - 1920 x 1080 - Full
<b>E329452</b>	ELO TOUCH SOLUTIONS Elo 1291L 30.7 cm (12.1") Open-frame LCD Touchscreen Monitor - 4:3 - 25 ms - IntelliTouch Surface Wave - 800 x 600 - SVGA - 16.2 Million
<b>E329636</b>	ELO TOUCH SOLUTIONS Elo 1593L 39.6 cm (15.6") Open-frame LCD Touchscreen Monitor - 16:9 - 10 ms - Surface Acoustic Wave - 1366 x 768 - WXGA - 16.7 Million
<b>E329825</b>	ELO TOUCH SOLUTIONS Elo 2494L 60.5 cm (23.8") Open-frame LCD Touchscreen Monitor - 16:9 - 16 ms - IntelliTouch Surface WaveMulti-touch Screen - 1920 x 1080
<b>E330019</b>	ELO TOUCH SOLUTIONS Elo 2494L 60.5 cm (23.8") Open-frame LCD Touchscreen Monitor - 16:9 - 16 ms - IntelliTouch Surface Wave - 1920 x 1080 - Full HD - 16.7
<b>E330225</b>	ELO TOUCH SOLUTIONS Elo 1790L 43.2 cm (17") Open-frame LCD Touchscreen Monitor - 5:4 - 5 ms - 431.80 mm Class - Projected CapacitiveMulti-touch Screen - 1280 x
<b>E330620</b>	ELO TOUCH SOLUTIONS Elo 2294L 54.6 cm (21.5") Open-frame LCD Touchscreen Monitor - 16:9 - 14 ms - 558.80 mm Class - TouchPro Projected Capacitive - 10
<b>E330817</b>	ELO TOUCH SOLUTIONS Elo 1990L 48.3 cm (19") Open-frame LCD Touchscreen Monitor - 5:4 - 5 ms - 482.60 mm Class - Projected Capacitive - 1280 x 1024 - SXGA - 16.7
<b>E331019</b>	ELO TOUCH SOLUTIONS Elo 1991L 48.3 cm (19") Open-frame LCD Touchscreen Monitor - 5:4 - 14 ms - 482.60 mm Class - Projected CapacitiveMulti-touch Screen - 1280
<b>E331214</b>	ELO TOUCH SOLUTIONS Elo 2094L 49.5 cm (19.5") Open-frame LCD Touchscreen Monitor - 16:9 - 20 ms - 508 mm Class - TouchPro Projected Capacitive - 10 Point(s)
<b>E331799</b>	ELO TOUCH SOLUTIONS Elo 1593L 39.6 cm (15.6") Open-frame LCD Touchscreen Monitor - 16:9 - 10 ms - Projected CapacitiveMulti-touch Screen - 1366 x 768 -
<b>E334335</b>	ELO TOUCH SOLUTIONS Elo 1590L 38.1 cm (15") Open-frame LCD Touchscreen Monitor - 4:3 - 16 ms - 381 mm Class - Projected CapacitiveMulti-touch Screen - 1024 x
<b>E334530</b>	ELO TOUCH SOLUTIONS Elo 1590L 38.1 cm (15") Open-frame LCD Touchscreen Monitor - 4:3 - 16 ms - 381 mm Class - Surface Acoustic Wave - 1024 x 768 - XGA - 16.2
<b>E334726</b>	ELO TOUCH SOLUTIONS Elo 1790L 43.2 cm (17") Open-frame LCD Touchscreen Monitor - 5:4 - 5 ms - 431.80 mm Class - Surface Acoustic Wave - 1280 x 1024 - SXGA - 16.7
<b>E335119</b>	ELO TOUCH SOLUTIONS Elo 1991L 48.3 cm (19") Open-frame LCD Touchscreen Monitor - 5:4 - 14 ms - 482.60 mm Class - Surface Acoustic Wave - 1280 x 1024 - SXGA
<b>E343671</b>	Elo Touch Solutions 3263L. Display diagonal: 80 cm (31.5"), Display brightness: 500 cd/m <sup>2</sup> , HD type: Full HD. Product colour: Black. Touch technology: Multi-touch, Touchscre
<b>E343872</b>	Elo Touch Solutions 3263L. Display diagonal: 80 cm (31.5"), Display brightness: 500 cd/m <sup>2</sup> , HD type: Full HD. Product colour: Black. Touch technology: Multi-touch, Touchscreen
<b>E344056</b>	Elo Touch Solutions 4363L. Display diagonal: 108 cm (42.5"), Display brightness: 450 cd/m <sup>2</sup> , HD type: Full HD. Product colour: Black. Touch technology: Multi-touch,

<b>E344260</b>	Elo Touch Solutions ELO, MTO, NCNR, 4363L 43-INCH WIDE LCD OPEN FRAME, FULL HD, VGA & HDMI 1.4, PROJECTED CAPACITIVE 40-TOUCH WITH PALM
<b>E344320</b>	ELO TOUCH SOLUTIONS Elo 1515L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 21.50 ms - 381 mm Class - 5-wire Resistive - 1024 x 768 - SXGA - 16.2 Million Colours
<b>E344758</b>	ELO TOUCH SOLUTIONS Elo 1517L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 23 ms - 381 mm Class - IntelliTouch Surface Wave - 1024 x 768 - XGA-2 - Thin Film
<b>E351388</b>	ELO TOUCH SOLUTIONS Elo 1902L 48.3 cm (19") LCD Touchscreen Monitor - 5:4 - 14 ms - 482.60 mm Class - TouchPro Projected Capacitive - 10 Point(s) Multi-touch
<b>E351600</b>	ELO TOUCH SOLUTIONS Elo 2202L 54.6 cm (21.5") LCD Touchscreen Monitor - 16:9 - 14 ms - 558.80 mm Class - TouchPro Projected Capacitive - 10 Point(s) Multi-touch Screen - 1920 x 1080 - Full HD - Thin Film Transistor (TFT) - 16.7 Million Colours - 3,000:1 - 250 cd/m <sup>2</sup> , 225 cd/m <sup>2</sup> - LED Backlight - Speakers - HDMI - USB - VGA - Black - Speaker, USB Hub
<b>E351806</b>	ELO TOUCH SOLUTIONS Elo 2402L 60.5 cm (23.8") LCD Touchscreen Monitor - 16:9 - 15 ms - Projected CapacitiveMulti-touch Screen - 1920 x 1080 - Full HD - 16.7
<b>E351997</b>	ELO TOUCH SOLUTIONS Elo 2702L 68.6 cm (27") LCD Touchscreen Monitor - 16:9 - 14 ms - 685.80 mm Class - Projected CapacitiveMulti-touch Screen - 1920 x 1080 - Full
<b>E380925</b>	ELO TOUCH SOLUTIONS ELO HUDDLE KIT W/ I5 WIN 10 SAC COMP MOD ECMG4 CONF CAM SW
<b>E382790</b>	ELO TOUCH SOLUTIONS Elo 2201L 55.9 cm (22") LCD Touchscreen Monitor - 16:9 - 5 ms - 558.80 mm Class - Surface Acoustic Wave - 1920 x 1080 - Full HD - Adjustable
<b>E384627</b>	ELO TOUCH SOLUTIONS ELO EDGE CONNECT 2D BARCODE SCANNER (4720)
<b>E389883</b>	Elo Touch Solutions E389883. Display diagonal: 25.6 cm (10.1"), Display resolution: 1920 x 1200 pixels, Display type: TFT. Processor model: SDA660. Internal memory: 4
<b>E390075</b>	Elo Touch Solutions E390075. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: TFT. Processor model: SDA660. Internal memory: 4 GB
<b>E390263</b>	Elo Touch Solutions E390263. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, Display type: TFT. Processor model: SDA660. Internal memory: 4 G
<b>E390647</b>	Elo Touch Solutions I-Series 4.0 Value, 10-Inch,. Display diagonal: 25.6 cm (10.1"), Display resolution: 1280 x 800 pixels, Display type: TFT. Processor model: RK3399.
<b>E391032</b>	Elo Touch Solutions E391032. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: TFT. Processor model: RK3399. Internal memory: 4
<b>E391414</b>	Elo Touch Solutions E391414. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, Display type: TFT. Processor model: RK3399. Internal memory: 4
<b>E393160</b>	ELO TOUCH SOLUTIONS Elo Self Service, Price Checking Desktop Barcode Scanner Kit - Black - SE2707Scan Engine - 495.30 mm Scan Distance - 1D, 2D - LED - USB
<b>E393359</b>	Elo Touch Solutions E393359. Processor family: Snapdragon, Processor manufacturer: Qualcomm, Processor model: SDA660. Internal memory: 4 GB, Internal
<b>E393754</b>	Elo Touch Solutions E393754. Processor family: Rockchip, Processor manufacturer: Rockchip, Processor model: RK3399. Internal memory: 4 GB, Internal memory type:
<b>E394454</b>	ELO TOUCH SOLUTIONS Elo 1523L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 25 ms - 381 mm Class - IntelliTouch Pro Projected CapacitiveMulti-touch Screen

<b>E395937</b>	Elo Touch Solutions E395937. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: LCD. Processor frequency: 1.5 GHz, Processor
<b>E396119</b>	ELO TOUCH SOLUTIONS Elo 2002L 49.5 cm (19.5") LCD Touchscreen Monitor - 16:9 - 20 ms - 508 mm Class - Projected Capacitive - 10 Point(s) Multi-touch Screen -
<b>E396134</b>	Elo Touch Solutions E396134. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: LCD. Processor frequency: 3.1 GHz, Processor
<b>E399324</b>	ELO TOUCH SOLUTIONS Elo 1515L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 14.50 ms - 381 mm Class - Surface Acoustic Wave - 1024 x 768 - XGA - 16.2 Million
<b>E400965</b>	ELO TOUCH SOLUTIONS Elo ECMG3 Single Board Computer - Module - Black - Intel - Core i3 - i3-6100 - Dual-core (2 Core) - 3.70 GHz - 4 GB - DDR4 SDRAM - 128 GB
<b>E401992</b>	ELO TOUCH SOLUTIONS Elo EloPOS POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 43.2 cm (17") LCD Touchscreen - Intel UHD Graphics 600
<b>E402183</b>	Elo Touch Solutions 17-inch (5:4) EloPOS. Display diagonal: 43.2 cm (17"), Display resolution: 1280 x 1024 pixels, Display type: LED. Processor frequency: 1.5 GHz, Processor
<b>E402576</b>	ELO TOUCH SOLUTIONS Elo EloPOS POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 43.2 cm (17") LCD Touchscreen - Intel UHD Graphics 630 -
<b>E402781</b>	ELO TOUCH SOLUTIONS Elo EloPOS POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 43.2 cm (17") LCD Touchscreen - Intel UHD Graphics 630 -
<b>E402963</b>	ELO TOUCH SOLUTIONS Elo EloPOS POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 43.2 cm (17") LCD Touchscreen - Intel UHD Graphics 630 -
<b>E405488</b>	ELO TOUCH SOLUTIONS ELO COMP MODULE F/ IDS 3 SER W10 SAC I-7TH GEN I5 16/256GB SS
<b>E410884</b>	Elo Touch Solutions E410884. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, Display type: LED. Processor frequency: 3.1 GHz, Processor
<b>E412818</b>	Elo Touch Solutions E412818. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: TFT. Processor model: SDA660. Internal memory: 4 GB
<b>E414192</b>	Elo Touch Solutions EloPOS. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, Display type: TFT. Processor manufacturer: Intel, Processor family: Intel®
<b>E440234</b>	ELO TOUCH SOLUTIONS Elo EloPOS E2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD Graphics
<b>E440439</b>	ELO TOUCH SOLUTIONS Elo EloPOS E2 POS Terminal - Intel Celeron - 4 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LCD Touchscreen - Intel UHD 600 - Wireless LAN
<b>E441193</b>	ELO TOUCH SOLUTIONS Elo EloPOS E3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LCD Touchscreen - Intel UHD 630 - Wireless

<b>E441385</b>	ELO TOUCH SOLUTIONS Elo EloPOS E3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LCD Touchscreen - Intel UHD 630 - Wireless
<b>E441575</b>	ELO TOUCH SOLUTIONS Elo EloPOS E3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LCD Touchscreen - Intel UHD 630 - Wireless
<b>E441781</b>	ELO TOUCH SOLUTIONS Elo EloPOS E3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LCD Touchscreen - Intel UHD 630 - Wireless
<b>E441968</b>	ELO TOUCH SOLUTIONS Elo EloPOS E5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD Graphics 630
<b>E442161</b>	ELO TOUCH SOLUTIONS Elo EloPOS E5 POS Terminal - Intel Core i5 - 8 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LCD Touchscreen - Intel UHD 630 - Wireless LAN
<b>E442365</b>	ELO TOUCH SOLUTIONS Elo EloPOS E5 POS Terminal - Intel Core i5 - 8 GB DDR4 SDRAM 128 GB SATA - 39.6 cm (15.6") LCD Touchscreen - Intel UHD 630 - Wireless LAN
<b>E459109</b>	ELO TOUCH SOLUTIONS Elo ECMG3 Single Board Computer for LCD Display - Module - Black - Intel - Core i7 - i7-6700 - 8 GB - DDR4 SDRAM - 256 GB Solid State Drive
<b>E461790</b>	ELO TOUCH SOLUTIONS Elo E461790 25.7 cm (10.1") LCD Digital Signage Display - Touchscreen Cortex A53 2 GHz - 3 GB - 32 GB HDD - 32 GB SSD - 1280 x 800 - LED
<b>E461993</b>	ELO TOUCH SOLUTIONS I-SERIES 3.0 ANDR8.1 10.1IN HD1 ARM A53 2.0-GHZ 2GB 16GB BLACK
<b>E462384</b>	Elo Touch Solutions I-SERIES 3.0 ANDR8.1 15.6IN HD1. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display technology: LCD, Response time
<b>E464724</b>	ELO TOUCH SOLUTIONS Elo PayPoint Plus E464724 POS Terminal - Qualcomm Snapdragon 2 GHz - 3 GB 32 GB - 39.6 cm (15.6") LCD Touchscreen - Wireless LAN Gigabit
<b>E484096</b>	ELO TOUCH SOLUTIONS Elo EloPOS POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 43.2 cm (17") LCD Touchscreen - Intel UHD Graphics 600
<b>E484291</b>	ELO TOUCH SOLUTIONS Elo EloPOS POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 43.2 cm (17") LCD Touchscreen - Intel UHD Graphics 630
<b>E484700</b>	ELO TOUCH SOLUTIONS Elo EloPOS POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 43.2 cm (17") LCD Touchscreen - Intel UHD Graphics 630 -
<b>E493591</b>	Elo Touch Solutions 2794L. Display diagonal: 68.6 cm (27"), Display brightness: 270 cd/m <sup>2</sup> , HD type: Full HD. Product colour: Black. Touch technology: Multi-touch,
<b>E493782</b>	ELO TOUCH SOLUTIONS Elo 2494L 60.5 cm (23.8") Open-frame LCD Touchscreen Monitor - 16:9 - 16 ms Typical - 609.60 mm Class - TouchPro Projected

<b>E494164</b>	Elo Touch Solutions E536624. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: LED. Processor frequency: 3.5 GHz, Processor
<b>E494361</b>	Elo Touch Solutions E494361. Display diagonal: 38.1 cm (15"), Display resolution: 1024 x 768 pixels, Display type: LCD. Processor frequency: 3.1 GHz, Processor
<b>E506980</b>	ELO TOUCH SOLUTIONS Elo 2495L 60.5 cm (23.8") Open-frame LCD Touchscreen Monitor - 16:9 - 14 ms Typical - 609.60 mm Class - TouchPro Projected
<b>E509874</b>	Elo Touch Solutions I-Series 3.0. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: TFT. Processor frequency: 2 GHz, Processor manufacturer
<b>E514693</b>	ELO TOUCH SOLUTIONS Elo Slim Desk Mount for Touchscreen Monitor, Cradle, Bar Code Reader, Fingerprint Reader, Webcam - Black, Silver - 55.9 cm (22")
<b>E514881</b>	ELO TOUCH SOLUTIONS Elo Slim Floor Mount for Touchscreen Monitor, Cradle, Bar Code Reader, Fingerprint Reader, Webcam - Black, Silver - 55.9 cm (22")
<b>E515260</b>	ELO TOUCH SOLUTIONS Elo E515260 Base - Black
<b>E517028</b>	ELO TOUCH SOLUTIONS Elo X3 POS Terminal - Intel Core i3 2.70 GHz - 4 GB DDR3L SDRAM 128 GB SATA - 38.1 cm (15") LCD Touchscreen - Intel HD Graphics 530 - Wireless
<b>E517441</b>	ELO TOUCH SOLUTIONS Elo X3 POS Terminal - Intel Core i3 2.70 GHz - 4 GB DDR3L SDRAM 128 GB SATA - 38.1 cm (15") LCD Touchscreen - Intel HD Graphics 530 - Wireless
<b>E518608</b>	ELO TOUCH SOLUTIONS Elo X2 POS Terminal - Intel Celeron 2.20 GHz - 4 GB DDR3L SDRAM 128 GB SATA - 43.2 cm (17") LCD Touchscreen - Intel HD Graphics 500
<b>E523163</b>	ELO TOUCH SOLUTIONS Elo 1517L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 16 ms - 381 mm Class - 5-wire Resistive - 1024 x 768 - XGA-2 - Adjustable Display
<b>E534869</b>	ELO TOUCH SOLUTIONS Elo 1509L 39.6 cm (15.6") LCD Touchscreen Monitor - 16:9 - 8 ms - 406.40 mm Class - IntelliTouch Surface Wave - 1366 x 768 - WXGA - Thin Film
<b>E536624</b>	Elo Touch Solutions E536624. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: LED. Processor frequency: 3.5 GHz, Processor
<b>E549028</b>	ELO TOUCH SOLUTIONS Elo X5 POS Terminal - Intel Core i5 3.30 GHz - 4 GB DDR3L SDRAM 128 GB SATA - 43.2 cm (17") LCD Touchscreen - Intel HD Graphics 530 - Wireless
<b>E549280</b>	ELO TOUCH SOLUTIONS Elo PayPoint Plus POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2 - 39.6 cm (15.6") LCD Touchscreen - Wireless LAN Gigabit
<b>E560404</b>	Elo Touch Solutions E560404. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, Display type: LCD. Processor frequency: 2.1 GHz, Processor
<b>E571601</b>	ELO TOUCH SOLUTIONS Elo 50 W AC Adapter - For Touchscreen Monitor - 120 V AC, 230 V AC Input - 12 V DC/4.16 A Output
<b>E603162</b>	ELO TOUCH SOLUTIONS Elo 1715L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 25 ms - 431.80 mm Class - 5-wire Resistive - 1280 x 1024 - SXGA - 16.2 Million
<b>E607608</b>	ELO TOUCH SOLUTIONS Elo 1915L 48.3 cm (19") LCD Touchscreen Monitor - 5:4 - 5 ms - 482.60 mm Class - 5-wire Resistive - 1280 x 1024 - SXGA - 16.7 Million



<b>E611101</b>	ELO TOUCH SOLUTIONS Elo I-Series 2.0 E611101 Value 25.7 cm (10.1") LCD Digital Signage Display - Touchscreen Snapdragon 2 GHz - 2 GB - 16 GB SSD
<b>E611296</b>	ELO TOUCH SOLUTIONS Elo I-Series 2.0 E611296 Standard 39.6 cm (15.6") LCD Digital Signage Display - Touchscreen Snapdragon 2 GHz - 3 GB - 32 GB SSD
<b>E611675</b>	ELO TOUCH SOLUTIONS Elo I-Series POS Terminal - Qualcomm Snapdragon 2 GHz - 3 GB DDR3L SDRAM 32 GB - 54.6 cm (21.5") LCD Touchscreen - Wireless LAN
<b>E614981</b>	ELO TOUCH SOLUTIONS Elo I-Series 2.0 E614981 Standard 54.6 cm (21.5") LCD Digital Signage Display - Touchscreen Snapdragon 2 GHz - 3 GB - 32 GB SSD - 1920
<b>E628053</b>	ELO TOUCH SOLUTIONS Elo 5553L 138.7 cm (54.6") LCD Digital Signage Display - Touchscreen - 3840 x 2160 - LED - 430 cd/m <sup>2</sup> - 2160p - USB - HDMI - Serial - Ethernet - Black
<b>E628244</b>	ELO TOUCH SOLUTIONS Elo 5553L 138.7 cm (54.6") LCD Digital Signage Display - 3840 x 2160 - LED - 450 cd/m <sup>2</sup> - 2160p - USB - HDMI - Serial - Ethernet - Black
<b>E649473</b>	ELO TOUCH SOLUTIONS Elo 1717L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 5 ms - 431.80 mm Class - 5-wire Resistive - 1280 x 1024 - SXGA - Thin Film
<b>E658586</b>	ELO TOUCH SOLUTIONS Elo 1903LM 48.3 cm (19") LCD Touchscreen Monitor - 5:4 - 14 ms - 482.60 mm Class - Projected Capacitive - 10 Point(s) Multi-touch Screen - 1280 x 1024 - Thin Film Transistor (TFT) - 16.7 Million Colours - 250 cd/m <sup>2</sup> - LED Backlight - Speakers - HDMI - USB - VGA - White
<b>E658788</b>	Elo Touch Solutions 2203LM. Display diagonal: 54.6 cm (21.5"), Display brightness: 225 cd/m <sup>2</sup> , HD type: Full HD. Product colour: Black, International Protection (IP) code
<b>E658992</b>	Elo Touch Solutions 2203LM. Display diagonal: 54.6 cm (21.5"), Display brightness: 225 cd/m <sup>2</sup> , HD type: Full HD. Product colour: White, International Protection (IP) code
<b>E659395</b>	Elo Touch Solutions 2403LM. Display diagonal: 60.5 cm (23.8"), Display brightness: 225 cd/m <sup>2</sup> , HD type: Full HD. Product colour: White, International Protection (IP) code:
<b>E659596</b>	Elo Touch Solutions E659596. Display diagonal: 68.6 cm (27"), Display brightness: 270 cd/m <sup>2</sup> , HD type: Full HD. Product colour: Black, International Protection (IP) code
<b>E659793</b>	Elo Touch Solutions 2703LM. Display diagonal: 68.6 cm (27"), Display brightness: 270 cd/m <sup>2</sup> , HD type: Full HD. Product colour: White, International Protection (IP) code
<b>E668194</b>	ELO TOUCH SOLUTIONS Elo Bezel Panel
<b>E673037</b>	ELO TOUCH SOLUTIONS ELO EDGE CONNECT RFID READER
<b>E683204</b>	ELO TOUCH SOLUTIONS Elo 1302L 33.8 cm (13.3") LCD Touchscreen Monitor - 16:9 - 25 ms - 330.20 mm Class - Projected CapacitiveMulti-touch Screen - 1920 x 1080 - Full
<b>E683457</b>	ELO TOUCH SOLUTIONS Elo 1723L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 30 ms - 431.80 mm Class - IntelliTouch Pro Projected CapacitiveMulti-touch Screen
<b>E683595</b>	ELO TOUCH SOLUTIONS Elo 1302L 33.8 cm (13.3") LCD Digital Signage Display - Touchscreen - 1920 x 1080 - 300 cd/m <sup>2</sup> - 1080p - USB - HDMI - Black
<b>E683787</b>	ELO TOUCH SOLUTIONS Elo 1302L 33.8 cm (13.3") LCD Touchscreen Monitor - 16:9 - 25 ms - 330.20 mm Class - Projected CapacitiveMulti-touch Screen - 1920 x 1080 - Full
<b>E691852</b>	ELO TOUCH SOLUTIONS Elo i2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD Graphics 600

<b>E692048</b>	ELO TOUCH SOLUTIONS Elo i2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD Graphics
<b>E692244</b>	ELO TOUCH SOLUTIONS Elo i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD Graphics 600
<b>E692640</b>	ELO TOUCH SOLUTIONS Elo i2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 54.6 cm (21.5") LED Touchscreen - Intel UHD Graphics 600
<b>E692837</b>	ELO TOUCH SOLUTIONS Elo i2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 54.6 cm (21.5") LED Touchscreen - Intel UHD Graphics 600
<b>E693022</b>	ELO TOUCH SOLUTIONS Elo i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 54.6 cm (21.5") LED Touchscreen - Intel UHD Graphics 630
<b>E693211</b>	ELO TOUCH SOLUTIONS Elo i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 54.6 cm (21.5") LED Touchscreen - Intel UHD Graphics 600
<b>E707022</b>	ELO TOUCH SOLUTIONS Elo 2794L 68.6 cm (27") Open-frame LCD Touchscreen Monitor - 16:9 - 12 ms - 685.80 mm Class - TouchPro Projected Capacitive - 1920 x 1080
<b>E719160</b>	ELO TOUCH SOLUTIONS Elo 1715L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 25 ms - 431.80 mm Class - Surface Acoustic Wave - 1280 x 1024 - SXGA - 16.2 Million
<b>E720061</b>	Elo Touch Solutions 3203L. Display diagonal: 80 cm (31.5"), Display brightness: 382 cd/m <sup>2</sup> , HD type: Full HD. Product colour: Black. Touch technology: Multi-touch, Touchscreen
<b>E720629</b>	ELO TOUCH SOLUTIONS 4303L 43IN IDS 03 PROJECTED CAPACITIVE 40-TOUCH USB-C CLEAR
<b>E721186</b>	ELO TOUCH SOLUTIONS Elo 4303L 109.2 cm (43") LCD Digital Signage Display - Touchscreen - 1920 x 1080 - LED - 405 cd/m <sup>2</sup> - USB - HDMI - Serial - Ethernet - Android
<b>E725044</b>	ELO TOUCH SOLUTIONS Elo ECMG4 Single Board Computer for LCD Display - Black - Intel - Core i5 - i5-7500T - 8 GB - DDR4 SDRAM - 256 GB Solid State Drive - Intel
<b>E738607</b>	ELO TOUCH SOLUTIONS Elo 1523L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 25 ms - IntelliTouch Pro Projected Capacitive Multi-touch Screen - 1024 x 768 - XGA
<b>E778447</b>	ELO TOUCH SOLUTIONS Elo Access Premium - Subscription Licence - 1 License - 1 Year
<b>E785229</b>	ELO TOUCH SOLUTIONS Elo 1723L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 30 ms - 431.80 mm Class - Surface Acoustic Wave Multi-touch Screen - 1280 x 1024
<b>E796382</b>	ELO TOUCH SOLUTIONS Elo 0702L 17.8 cm (7") LCD Touchscreen Monitor - 5:3 - 25 ms Typical - 177.80 mm Class - TouchPro Projected Capacitive - 10 Point(s) Multi-
<b>E796783</b>	ELO TOUCH SOLUTIONS Elo Wallaby Display Stand - Up to 55.9 cm (22") Screen Support 29.5 cm Width x 23.1 cm Depth - Black, Silver
<b>E796965</b>	ELO TOUCH SOLUTIONS Elo Wallaby E796965 Stand Top - Black, Silver
<b>E829550</b>	ELO TOUCH SOLUTIONS Elo 1517L 38.1 cm (15") LCD Touchscreen Monitor - 4:3 - 16 ms - 381 mm Class - Surface Acoustic Wave - 1024 x 768 - XGA-2 - Adjustable

<b>E833323</b>	ELO TOUCH SOLUTIONS Elo PayPoint Plus POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2 - 39.6 cm (15.6") LCD Touchscreen - Wireless LAN Gigabit
<b>E841357</b>	Elo Touch Solutions E841357. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, Display type: LED. Processor frequency: 2.5 GHz, Processor
<b>E850003</b>	ELO TOUCH SOLUTIONS Elo i3 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD Graphics 600
<b>E850204</b>	ELO TOUCH SOLUTIONS Elo i3 POS Terminal - Intel Core i3 3.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD Graphics 600
<b>E850387</b>	ELO TOUCH SOLUTIONS Elo i3 POS Terminal - Intel Core i3 3.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 54.6 cm (21.5") LED Touchscreen - Intel UHD Graphics 600
<b>E850591</b>	ELO TOUCH SOLUTIONS Elo i3 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 54.6 cm (21.5") LED Touchscreen - Intel UHD Graphics 600
<b>E862573</b>	ELO TOUCH SOLUTIONS Elo M50 Rugged Handheld Terminal - 1D, 2D - SE4710Scan Engine - 14 cm (5.5") - LCD - HD - 1280 x 720 - Touchscreen - 4 GB RAM / 64 GB
<b>E877820</b>	ELO TOUCH SOLUTIONS Elo 1717L 43.2 cm (17") LCD Touchscreen Monitor - 5:4 - 5 ms - 431.80 mm Class - 5-wire Resistive - 1280 x 1024 - SXGA - 16.7 Million
<b>E894322</b>	ELO TOUCH SOLUTIONS MOBILE COMPUTER 5 YR WARRANTY COVERAGE + AUR + ADP + OS 360
<b>E898841</b>	ELO TOUCH SOLUTIONS IDS 3 SERIES I5 HD 630 W10P 8GB/256GB SSD LTSC MONTAGE SW IN
<b>E901355</b>	ELO TOUCH SOLUTIONS Elo Backpack 3.0 Digital Signage Appliance - Snapdragon 2 GHz - 2 GB - 16 GB SSD - USB - HDMI Wireless LAN - Ethernet - Black
<b>E914767</b>	ELO TOUCH SOLUTIONS Elo 6553L 163.8 cm (64.5") LCD Digital Signage Display - Touchscreen - 3840 x 2160 - LED - 500 cd/m <sup>2</sup> - 2160p - USB - HDMI - Serial - Ethernet - Black
<b>E914973</b>	ELO TOUCH SOLUTIONS Elo 5553L 138.7 cm (54.6") LCD Digital Signage Display - Touchscreen - 3840 x 2160 - LED - 430 cd/m <sup>2</sup> - 2160p - USB - HDMI - Serial - Ethernet - Black
<b>E924535</b>	Elo Touch Solutions POS Pack. Processor frequency: 3.1 GHz, Processor family: 8th gen Intel® Core™ i3, Processor model: i3-8100T. Internal memory: 8 GB, Internal memory
<b>E924731</b>	ELO TOUCH SOLUTIONS Elo EloPOS Pack i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - Intel UHD Graphics 630 - Wireless LAN
<b>E931706</b>	ELO TOUCH SOLUTIONS Elo EloPOS i3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD
<b>E931896</b>	ELO TOUCH SOLUTIONS Elo EloPOS i3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD
<b>E932274</b>	ELO TOUCH SOLUTIONS Elo EloPOS i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD

<b>E935367</b>	ELO TOUCH SOLUTIONS Elo EloPOS i2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD
<b>E935572</b>	ELO TOUCH SOLUTIONS Elo EloPOS i2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD
<b>E935775</b>	ELO TOUCH SOLUTIONS Elo EloPOS i3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD
<b>E935967</b>	ELO TOUCH SOLUTIONS Elo EloPOS i3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD
<b>E936163</b>	ELO TOUCH SOLUTIONS Elo EloPOS i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD Graphics 630 - Wireless LAN Gigabit Ethernet - USB - Powered USB - Network (RJ-45) - Cash Drawer Port - Windows 10 - Black
<b>E936365</b>	ELO TOUCH SOLUTIONS Elo EloPOS i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD
<b>E936556</b>	ELO TOUCH SOLUTIONS Elo EloPOS i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 39.6 cm (15.6") LED Touchscreen - Intel UHD
<b>E936953</b>	ELO TOUCH SOLUTIONS Elo EloPOS i2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 55.9 cm (22") LED Touchscreen - Intel UHD
<b>E937154</b>	ELO TOUCH SOLUTIONS Elo EloPOS i2 POS Terminal - Intel Celeron 1.50 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 55.9 cm (22") LED Touchscreen - Intel UHD
<b>E937340</b>	ELO TOUCH SOLUTIONS Elo EloPOS i3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 55.9 cm (22") LED Touchscreen - Intel UHD
<b>E937523</b>	ELO TOUCH SOLUTIONS Elo EloPOS i3 POS Terminal - Intel Core i3 3.10 GHz - 4 GB DDR4 SDRAM 128 GB M.2/SATA - 55.9 cm (22") LED Touchscreen - Intel UHD
<b>E937720</b>	ELO TOUCH SOLUTIONS Elo EloPOS i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 55.9 cm (22") LED Touchscreen - Intel UHD
<b>E938113</b>	ELO TOUCH SOLUTIONS Elo EloPOS i5 POS Terminal - Intel Core i5 2.10 GHz - 8 GB DDR4 SDRAM 128 GB M.2/SATA - 55.9 cm (22") LED Touchscreen - Intel UHD
<b>E993091</b>	ELO TOUCH SOLUTIONS Elo M50 Rugged Handheld Terminal - 1D, 2D - LTE - SE4710Scan Engine - 14 cm (5.5") - LCD - HD - 1280 x 720 - Touchscreen - 4 GB RAM /